

Request parameters:

Name	Description	Required
token	platform token	yes
ua	urlencoded user agent	yes
ip	ip address	yes
count	the number of ads in the response, max 12	yes
type	promo type (text_ad)	yes
q	urlencoded keywords	yes
ref	urlencoded referrer	no
s1	urlencoded subid1	no
s2	urlencoded subid2	no
s3	urlencoded subid3	no
format	xml or json (json is default)	no
lang	language (see Accept-Language header for details)	no
bid_floor	Minimum bid for this impression expressed in CPM. Float, default 0 (e.g. 0.05)	no
sec-ch-ua	user-agent's branding and significant version information	no
sec-ch-ua-arch	user-agent's underlying CPU architecture	no
sec-ch-ua-bitness	"bitness" of the user-agent's underlying CPU architecture	no
sec-ch-ua-full-version-list	user-agent's branding and full version information	no
sec-ch-ua-mobile	indicates whether the browser is on a mobile device	no
sec-ch-ua-model	indicates the device model on which the browser is running	no
sec-ch-ua-platform	platform or operating system on which the user agent is running	no
sec-ch-ua-platform-version	version of the operating system on which the user agent is running	no

sec-ch-ua-wow64	information about whether or not a user agent binary is running in 32-bit mode on 64-bit Windows	no
-----------------	--	----

Response fields:

Name	Description	Required
bid	CPC bid (USD)	yes
url	click url	yes
title	ad title	yes
descr	ad description	yes
signature	ad signature	no
ttl	url lifetime in seconds	yes
creative_id	creative id	no

If no offers were found, we will return an empty response with HTTP status code 204.

Request:

```
http(s)://{api-url}?token=test&ua=Mozilla%2F5.0%20%28Macintosh%3B%20Intel%20Mac%20OS%20X%2010_13_5%29%20AppleWebKit%2F537.36%20%28KHTML%2C%20like%20Gecko%29%20Chrome%2F67.0.3396.87%20Safari%2F537.36&ip=200.0.200.1&count=2&q=example&type=text_ad&format=xml&sec-ch-ua=%22+Not+A%3BBrand%22%3Bv%3D%2299%22%2C+%22Chromium%22%3Bv%3D%2298%22%2C+%22Google+Chrome%22%3Bv%3D%2298%22&sec-ch-ua-arch=x86&sec-ch-ua-bitness=64&sec-ch-ua-full-version-list=%22+Not+A%3BBrand%22%3Bv%3D%2299.0.0.0%22%2C+%22Chromium%22%3Bv%3D%2298.0.4750.0%22%2C+%22Google+Chrome%22%3Bv%3D%2298.0.4750.0%22&sec-ch-ua-mobile=%3F0&sec-ch-ua-model=test&sec-ch-ua-platform=Windows&sec-ch-ua-platform-version=10.0.0&sec-ch-ua-wow64=%3F1
```

Response:

```
<response>
  <item>
    <bid>0.01</bid>
    <url>http://example.com/?click1</url>
    <title>Ad example</title>
    <descr>Ad example</descr>
    <signature>http://example.com</signature>
    <ttl>300</ttl>
  </item>
  <item>
```

```
<bid>0.02</bid>
<url>http://example.com/?click2</url>
<title>Another ad example</title>
<descr>Another ad example</descr>
<signature>http://example.com</signature>
<ttl>300</ttl>
</item>
</response>
```

Error response:

```
<?xml version="1.0" encoding="UTF-8"?>
<response><error>incorrect useragent</error></response>
```

Request:

```
http(s)://{api-url}?token=test&ua=Mozilla%2F5.0%20%28Macintosh%3B%20Intel%20Mac
%20OS%20X%2010_13_5%29%20AppleWebKit%2F537.36%20%28KHTML%2C%20like
%20Gecko%29%20Chrome%2F67.0.3396.87%20Safari
%2F537.36&ip=200.0.200.1&count=2&q=example&type=text_ad&format=json&sec-ch-ua=
%22+Not+A%3BBrand%22%3Bv%3D%2299%22%2C+%22Chromium%22%3Bv%3D
%2298%22%2C+%22Google+Chrome%22%3Bv%3D%2298%22&sec-ch-ua-arch=x86&sec-ch-
ua-bitness=64&sec-ch-ua-full-version-list=%22+Not+A%3BBrand%22%3Bv%3D
%2299.0.0.0%22%2C+%22Chromium%22%3Bv%3D%2298.0.4750.0%22%2C+
%22Google+Chrome%22%3Bv%3D%2298.0.4750.0%22&sec-ch-ua-mobile=%3F0&sec-ch-ua-
model=test&sec-ch-ua-platform=Windows&sec-ch-ua-platform-version=10.0.0&sec-ch-ua-
wow64=%3F1
```

Response:

```
[{
  "bid":0.01,
  "url":"http://example.com/?click1",
  "title":"Ad example",
  "descr":"Ad example",
  "signature":"http://example.com",
  "ttl":300
}, {
  "bid":0.02,
  "url":"http://example.com/?click2",
  "title":"Another ad example",
  "descr":"Another ad example",
  "signature":"http://example.com",
  "ttl":300
}]
```

Error response:

```
{"error":"incorrect useragent"}
```